



Certificate of Analysis

Accredited to ISO/IEC 17025:2017 by PJLA
Accreditation No. 86258

Sample Collected By: Client

Product Name	9690 Lipo CoQ10	Product Lot Number	052827216
Report Date	06/25/26	Laboratory #	260618202

Description	Method	Specification	Result
Coenzyme Q10	HPLC CA-059	200 mg/cap	202mg/cap
Lead	ICP-MS USP <730>	<4 ppm	0.048 ppm
Arsenic	ICP-MS USP <730>	<4 ppm	0.003 ppm
Cadmium	ICP-MS USP <730>	<4 ppm	0.004 ppm
Mercury	ICP-MS USP <730>	<2 ppm	0.004 ppm
Total Aerobic Count	USP <2021>	NMT 100,000 cfu/g	<100 cfu/g
Yeast and Mold	USP <2021>	NMT 40 cfu/g	30 cfu/g
E. Coli	USP <2022>	Negative	Negative
Salmonella	USP <2022>	Negative	Negative

Dominique Levy
QA Specialist

06/25/2026
Date

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.