



Certificate of Analysis

Accredited to ISO/IEC 17025:2017 by PJLA

Accreditation No. 86258

Sample Collected By: Client

Product Name	9550 Pure NMN	Product Lot Number	052827145
Report Date	06/30/26	Laboratory #	260618308

Description	Method	Specification	Result
Nicotinamide Mononucleotide	HPLC CA-256	500 mg/serv	500 mg/serv
Lead	ICP-MS USP <730>	<4 ppm	0.004 ppm
Arsenic	ICP-MS USP <730>	<4 ppm	0.009 ppm
Cadmium	ICP-MS USP <730>	<4 ppm	0.004 ppm
Mercury	ICP-MS USP <730>	<2 ppm	<.001 ppm
Total Aerobic Count	USP <2021>	NMT 100,000 cfu/g	<100 cfu/g
Yeast and Mold	USP <2021>	NMT 40 cfu/g	<10 cfu/g
E. Coli	USP <2022>	Negative	Negative
Salmonella	USP <2022>	Negative	Negative

*Serving size: 0.5g

Dominique Levy
QA Specialist

06/30/2026
Date

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.