Colmaric Analyticals, LLC

Certificate of Analysis

Sample Collected By: Client

Product Name	9688 Lipo Quercetin	Product Lot Number	082827650
Report Date	10/28/26	Laboratory #	261019770

Description	Method	Specification	Result
Assay (Quercetin)	HPLC CA-093	150 mg/cap	150.1 mg/cap
Lead	ICP-MS USP <730>	< 4 ppm	0.025 ppm
Arsenic	ICP-MS USP <730>	< 4 ppm	0.104 ppm
Cadmium	ICP-MS USP <730>	< 4 ppm	0.014 ppm
Mercury	ICP-MS USP <730>	< 2 ppm	0.001 ppm
Total Aerobic Count	USP <61>	NMT 100,000 cfu/g	70 cfu/g
Yeast and Mold	USP <61>	NMT 40 cfu/g	<10 cfu/g
E. Coli	USP <62>	Negative	Negative/10g
Salmonella	USP <62>	Negative	Negative/10g

Tejas Patel
QA Specialist

10/28/2026
Date

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.

3235 Fairfield Avenue South, Unit A, St. Petersburg, FL 33712
Tel: 727-289-4487