

Compliance for Retail: **PASS**

9491 Lipo Ashwaganda

Total Sample Received:  
Total Units Received: 1

Date Sampled: 05/06/2026  
Date Received: 05/06/2026  
Date Reported: 05/11/2026

Sample ID: T6E0197-01 CCB ID: Lot 42827000  
Matrix: Edibles

<b>Foreign Materials</b> NOT TESTED	<b>Heavy Metals</b> <b>PASS</b>	<b>Microbials</b> <b>PASS</b>	<b>Moisture Content</b> NOT TESTED	<b>Mycotoxins</b> NOT TESTED
<b>Pesticides</b> NOT TESTED	<b>Residual Solvents</b> NOT TESTED	<b>Terpenes</b> NOT TESTED	<b>Water Activity</b> NOT TESTED	<b>Vitamins Supplements</b> NOT TESTED


TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)



Compliance for Retail: **PASS**

**9491 Lipo Ashwaganda**

Total Sample Received:  
Total Units Received: 1

Date Sampled: 05/06/2026  
Date Received: 05/06/2026  
Date Reported: 05/11/2026

Sample ID: T6E0197-01 CCB ID: Lot 42827000  
Matrix: Edibles

**Microbials**

**Pass**

Date Prepared: 05/06/2026 15:12      Prep ID: 1093      Specimen Wt: 1.00 g  
Date Analyzed: 05/07/2026 16:01      Analyst ID: 1093      Instrument: qPCR  
Lab Batch: 2619084      Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Staphylococcus Aureus	1.00	1	Absent in 1 gram	Pass
Total Aerobic Bacteria	10000	1	ND	Pass
Salmonella	1.00	1	Absent in 1 gram	Pass
E. coli	1.00	1	Absent in 1 gram	Pass
Total Yeast and Mold	100	10	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Heavy Metals**

**Pass**

Date Prepared: 05/06/2026 14:31      Prepped By: 1094      Specimen Wt: 0.58 g  
Date Analyzed: 05/07/2026 16:31      Analyzed By: 1094      Instrument: ICPMS  
Lab Batch: 2619092      Prep Method: SOP 1362      Analysis Method: SOP1358

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
Arsenic	1	4.00	0.00100	0.0925	Pass
Cadmium	1	4.00	0.00100	0.0111	Pass
Lead	1	4.00	0.00100	0.0265	Pass
Mercury	1	2.00	0.00100	0.00380	Pass
<b>Total</b>				0.13	

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terlifelabs.com

Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)